

1 Hashing: Preliminaries

Hashing can be thought of as a way to *rename* an address space. For instance, a router at the internet backbone may wish to have a searchable database of destination IP addresses of packets that are whizzing by. An IP address is 128 bits, so the number of possible IP addresses is 2^{128} , which is too large to let us have a table indexed by IP addresses. Hashing allows us to rename each IP address by fewer bits.

Formally, we want to store a subset S of a large universe U (where $|U| = 2^{128}$ in the above example). And $|S| = m$ is a relatively small subset.




Figure 1: Hash table. x is placed in $T[h(x)]$.

We design a hash function

$$h : U \longrightarrow \{0, 1, \dots, n - 1\} \quad (1)$$

such that $x \in U$ is placed in $T[h(x)]$, where T is a table of size n . Typically, we can assume that $m \leq n \ll |U|$.

There are two flexible components in this design: 1. the hash function h ; 2. how do we deal with multiple elements that are mapped to the same location in T . In this lecture, we will focus on the former, designing good hash functions. For resolving hash collisions, we use the standard linked list solution – storing all keys mapped to the same location in T using a linked list. If there are t such keys, then it takes $O(t)$ to search through them.

The behavior of the hash function can be analysed under two kinds of assumptions:

1. Assume the input is the random.
2. Assume the input is arbitrary, but the hash function is random.

Assumption 1 may not be valid for many applications.

Hashing is a concrete method towards Assumption 2. We designate a set of hash functions \mathcal{H} , and when it is time to hash S , we choose a random function $h \in \mathcal{H}$ and hope that on average we will achieve good performance for S . This is a frequent benefit of a randomized approach: no single hash function works well for every input, but the average hash function may be good enough.

2 Hash Functions

What do we want out of a random hash function? Ideally, we would hope that h “evenly” distributes the elements of S across the hash table. One option would be to map every element in U to a random value in $[n]$. However, constructing such a “fully random” hash function is very expensive: we would need to build a lookup table with $|U|$ rows, each storing $\log_2(n)$ bits to specify the value of $h(x) \in [n]$ for one $x \in U$. At this cost, we might as well have just stored our original data in a $|U|$ length array – it’s often simply impossible.

The goal in hashing is to find a *cheaper* function (fast and space efficient) that’s still *random enough* to evenly distribute elements of S into our table. For a family of hash functions \mathcal{H} , and for each $h \in \mathcal{H}$, $h : U \rightarrow [n]$ ¹, what we mean by “random enough”.

For any $x_1, x_2, \dots, x_m \in S$ ($x_i \neq x_j$ when $i \neq j$), and any $a_1, a_2, \dots, a_m \in [n]$, ideally a random \mathcal{H} should satisfy:

- $\Pr_{h \in \mathcal{H}}[h(x_1) = a_1] = \frac{1}{n}$.
- $\Pr_{h \in \mathcal{H}}[h(x_1) = a_1 \wedge h(x_2) = a_2] = \frac{1}{n^2}$. Pairwise independence.
- $\Pr_{h \in \mathcal{H}}[h(x_1) = a_1 \wedge h(x_2) = a_2 \wedge \dots \wedge h(x_k) = a_k] = \frac{1}{n^k}$. k -wise independence.
- $\Pr_{h \in \mathcal{H}}[h(x_1) = a_1 \wedge h(x_2) = a_2 \wedge \dots \wedge h(x_m) = a_m] = \frac{1}{n^m}$. Full independence (note that $|U| = m$).

Generally speaking, we encounter a tradeoff. The more random \mathcal{H} is, the greater the number of random bits needed to generate a function h from this class, and the higher the cost of computing h . The challenge is to prove that, even when we use few random bits, the hash stable still performs well in terms of insert/delete/query time.

2.1 Goal One: Bound expected number of collisions

As a first step, we want to understand the expected length of a single linked list. Note that this is just the first step towards understanding the runtime of our desired operations. Assume that \mathcal{H} is a pairwise-independent hash family.

Now, we want to count the expected number of collisions. To do this, let the random variable

$$I_{xy} = \begin{cases} 1 & \text{if } h(y) = h(x), \\ 0 & \text{otherwise.} \end{cases} \quad (2)$$

¹We use $[n]$ to denote the set $\{0, 1, \dots, n - 1\}$

Observe that the number of collisions is exactly $\sum_{x \neq y} I_{xy}$. By linearity of expectation, we get:

$$\mathbb{E}[\# \text{ collisions}] = \sum_{x \neq y} \mathbb{E}[I_{xy}] = \sum_{x \neq y} 1/n = \binom{m}{2}/n. \quad (3)$$

Above, the second inequality follows as $h(x) = h(y)$ with probability exactly $1/n$ whenever \mathcal{H} is pairwise independent. Observe that if, for example, we take $n \geq m^2$, then we are likely to have zero collisions. Similarly, observe that for a fixed x , even when $n = 2m$, that x is unlikely to have any collisions.

3 2-Universal Hash Families

Definition 1 (Carter Wegman 1979). *Family \mathcal{H} of hash functions is 2-universal if for any $x \neq y \in U$,*

$$\Pr_{h \in \mathcal{H}}[h(x) = h(y)] \leq \frac{1}{n} \quad (4)$$

Exercise: Convince yourself that this property is weaker than pairwise independence – i.e. that every pairwise independent hash function also satisfies (4).

We can design 2-universal hash families in the following way. Choose a prime $p \in \{|U|, \dots, 2|U|\}$,² and let

$$f_{a,b}(x) = ax + b \pmod{p} \quad (a, b \in [p], a \neq 0) \quad (5)$$

Then let

$$h_{a,b}(x) = f_{a,b}(x) \pmod{n} \quad (6)$$

We now make a few observations about $f_{a,b}(\cdot)$, before arguing that the family $\mathcal{H} = \{h_{a,b}(\cdot)\}_{a,b \in [p], a \neq 0}$ is 2-universal.

observation 1. *If $x_1 \neq x_2$, then $f_{a,b}(x_1) \neq f_{a,b}(x_2)$.*

Proof. Assume for contradiction that $f_{a,b}(x_1) = f_{a,b}(x_2) = s$. Then:

$$\begin{aligned} ax_1 + b &= s \pmod{p} \\ ax_2 + b &= s \pmod{p} \\ \Rightarrow a(x_1 - x_2) &= 0 \pmod{p}. \end{aligned}$$

But as p is prime, and $a \neq 0$, this implies that $x_1 = x_2$, a contradiction. \square

Of course, it could still very well be the case that $h_{a,b}(x_1) = h_{a,b}(x_2)$. So we have to later analyze the probability of this.

²How do we know that such a prime exists? This is due to Bertrand's Postulate, which exactly states that such a prime exists. Second, how do we find such a prime? One option is to guess random numbers between $|U|$ and $2|U|$, check if they're prime, and continue until we find one. The Prime Number Theorem states that each guess is likely to be prime with probability roughly $1/\log(|U|)$. Also, the AKS primality test lets us test whether a number is in fact prime in time $\text{poly}(\log(|U|))$. Alternatively, one could imagine an online pre-computed database of primes that lie in the correct range.

Lemma 1. For any $x_1 \neq x_2$ and $s \neq t$, the following system

$$ax_1 + b = s \pmod{p} \tag{7}$$

$$ax_2 + b = t \pmod{p} \tag{8}$$

has exactly one solution (i.e. one set of possible values for a, b). In that solution, $a \neq 0$.

Proof. If you're familiar with modular arithmetic, this is clear. Since p is a prime, the integers \pmod{p} constitute a finite field. This implies that any element in $[p]$ has a multiplicative inverse \pmod{p} , so we know that $a = (x_1 - x_2)^{-1}(s - t)$ and $b = s - ax_1$.




Figure 2: Modular arithmetic for prime $p = 7$.

It's not too hard to see this directly with a little thought. We want to claim that

$$a(x_1 - x_2) = (s - t) \pmod{p}$$

has a unique solution a . Without loss of generality, assume that $x_1 > x_2$. When we multiply $(x_1 - x_2)$ by an integer, we're moving around the circle pictured in Figure 2 in increments of $(x_1 - x_2)$. Since p is prime, at each step before the p^{th} step, it better be that we hit a new element of $[p]$ on the circle. Otherwise, we would have found that $(x_1 - x_2)$ (which is $< p$) multiplies by some other number $< p$ to equal a multiple of p . This of course can't be true when p is prime.

So, as we multiply $(x_1 - x_2)$ by integers in $[p]$, we hit $(s - t) \pmod{p}$ exactly once. \square

By Lemma 1, since there are $p(p - 1)$ different possible choices of a, b :

$$\Pr_{a,b \leftarrow U(\{1,\dots,p-1\} \times \{0,\dots,p-1\})} [f_{ab}(x_1) = s \wedge f_{ab}(x_2) = t] = \frac{1}{p(p-1)} \tag{9}$$

CLAIM $\mathcal{H} = \{h_{a,b} : a, b \in [p] \wedge a \neq 0\}$ is 2-universal.

Proof. For any $x_1 \neq x_2$,

$$\Pr[h_{a,b}(x_1) = h_{a,b}(x_2)] \tag{10}$$

$$= \sum_{s,t \in [p], s \neq t} \mathbb{1}[s = t \pmod n] \cdot \Pr[f_{a,b}(x_1) = s \wedge f_{a,b}(x_2) = t] \tag{11}$$

$$= \frac{1}{p(p-1)} \sum_{s,t \in [p], s \neq t} \mathbb{1}[s = t \pmod n] \tag{12}$$

$$\leq \frac{1}{p(p-1)} \frac{p(p-1)}{n} \tag{13}$$

$$= \frac{1}{n} \tag{14}$$

where $\mathbb{1}$ is an indicator function (that is, $\mathbb{1}[x] = 1$ if statement x is true, and $\mathbb{1}[x] = 0$ otherwise). Equation (13) follows because for each $s \in [p]$, we have at most $\lceil p/n \rceil$ t such that $s = t \pmod n$, and one of these is $s = t$ itself. So there are at most $\lceil p/n \rceil - 1 \leq (p-1)/n$ different t such that $s \neq t$ and $s = t \pmod n$. \square

4 Perfect hashing

Can we design a collision free hash table then? This is usually referred to as perfect hashing.

Solution 1: Collision-free hash table in $O(m^2)$ space.

Say we have m elements, and the hash table is of size n . Since for any $x_1 \neq x_2$, $\Pr_h[h(x_1) = h(x_2)] \leq \frac{1}{n}$, the expected number of total collisions is just

$$\mathbb{E}\left[\sum_{x_1 \neq x_2} \mathbb{1}[h(x_1) = h(x_2)]\right] = \sum_{x_1 \neq x_2} \mathbb{E}[\mathbb{1}[h(x_1) = h(x_2)]] \leq \binom{m}{2} \frac{1}{n} \tag{15}$$

Let's pick $n \geq m^2$, then

$$\mathbb{E}[\text{number of collisions}] \leq \frac{1}{2} \tag{16}$$

and so by Markov's inequality,

$$\Pr_{h \in H}[\exists \text{ a collision}] \leq \frac{1}{2} \tag{17}$$

So if the size the hash table is large enough, we can easily find a collision free hash function. In particular, if we try a random hash function it will succeed with probability $1/2$. If we see a collision when inserting elements of S into the table, we simply draw a new random hash function and try again. The expected function of this procedure is:

$$\mathbb{E}[\text{time to insert } m \text{ items}] = m + \frac{1}{2}m + \frac{1}{4}m + \dots = 2m.$$

Solution 2: Collision-free hash table in $O(m)$ space (FKS hashing).

At this point, we have designed a hash table that has no collisions. The drawback is that it is that our table must be large: m^2 to store only m elements. But in reality, such a large table is often unrealistic. We may use a two-layer hash table to avoid this problem.




Figure 3: Two layer hash tables.

Specifically, let s_i denote the number of elements at location i . If we can construct a second layer table of size s_i^2 , we can easily find a collision-free hash table to store all the s_i elements. Thus the total size of the second-layer hash tables is $\sum_{i=0}^{m-1} s_i^2$.

To bound the expected size of $\sum_{i=0}^{m-1} s_i^2$, we note that this sum is nearly equal to the total number of hash collisions, which we bound in Equation (15)! Specifically,

$$\mathbb{E}\left[\sum_i s_i^2\right] = \mathbb{E}\left[\sum_i s_i(s_i - 1)\right] + \mathbb{E}\left[\sum_i s_i\right] = \frac{m(m-1)}{n} + m \leq 2m \quad (18)$$

Note that $s_i(s_i-1)/2$ is exactly the number of *collisions* at location i (because if there are s_i elements at location i , there are $\binom{s_i}{2}$ pairs which collide at i). Therefore, $\mathbb{E}[\sum_i s_i(s_i-1)/2]$ is exactly the expected number of total collisions, which we bounded with $\binom{m}{2}/n$ previously.

To construct the hash function, we will first sample a first-layer function h such that $\sum_i s_i^2 \leq 4m$, then allocate a range of $2s_i^2$ for bucket i for the second layer.

Including the first layer, we have now designed a hash table of size $O(m)$ to store m elements (so some overhead, but much less than before).

FKS hashing is mostly used in the *static* setting, where the set S is given in advance and does not change over time. However, it is also possible to support key insertions and deletions by rebuilding. That is, when we insert some x to the hash table, if it remains collision-free, then we just insert it to the corresponding entry; otherwise, we rebuild the corresponding bucket with possibly larger space (as s_i increases). If $\sum_i s_i^2$ becomes too large after the insertion, we rebuild the whole hash table. It can be shown that the expected insertion time is $O(1)$, and it has the benefit that its lookup time is $O(1)$ *in worst-case*.

Note that for perfect hashing, the hash function used is inevitably dependent on the set S . For the above two-layer construction, it also takes $O(m \log U)$ bits to just encode the

hash function, while it still only takes $O(1)$ to compute the hash value of any x . A more careful encoding can improve it to $O(m)$ bits, but it has been shown that one cannot hope to encode a perfect hash function using $\ll m$ bits, if the size of the hash table is linear.